


## ADA Compliant Bus Stop Shelters

### General ADA Compliance

The ADA Standards issued by the Department of Transportation (DOT) apply to facilities used by state and local governments to provide designated public transportation services, including bus stops and stations, and rail stations. Both the DOT and DOJ standards are based on the Board's ADA Accessibility Guidelines which can be found in full at <https://www.access-board.gov/guidelines-and-standards/transportation/facilities/about-the-ada-standards-for-transportation-facilities/ada-standards-for-transportation-facilities-single-file#a218>.


810.3 Bus Shelters. Bus shelters shall provide a minimum clear floor or ground space complying with 305 entirely within the shelter. Bus shelters shall be connected by an accessible route complying with 402 to a boarding and alighting area complying with 810.2. Below are highlights of the most relevant ADA requirements to Bus Stop Shelters and their common accessories.



### Benches

903.3 Size. Benches shall have seats that are 42 inches long minimum, 20 inches deep minimum and 24 inches deep maximum.

903.4 Back Support. Back support shall be 42 inches long minimum and shall extend from a point 2 inches maximum above the seat surface to a point 18 inches minimum above the seat surface. Back support shall be 2½ inches maximum from the rear edge of the seat measured horizontally



Brasco International, Inc.  
32400 Industrial Dr.  
Madison Heights, MI 48071

1-800-893-3665  
info@brasco.com  
www.brasco.com

© 2016 Brasco International, Inc. All Rights Reserved.

